

Set up MICROSOFT



<https://azure.microsoft.com>

Microsoft Personal email accounts such as **Outlook** and **Hotmail** etc have some separate instructions from **Office365** accounts at the end of the 365 setup. **All Microsoft** accounts will require a **Microsoft Azure** login.

Chat GPT overview of ExportEmails using Microsoft Graph API endpoints

Accessing Microsoft Graph API endpoints is generally free, especially for the scenarios the **ExportEmails** app uses (like email access).

Here's a breakdown:

Free Access for Microsoft Graph (Typical Usage)

1. Personal Accounts (Outlook.com, Hotmail, Live.com)

- **Free tier** includes full access to Microsoft Graph for:
 - IMAP/SMTP/OAuth2
 - Mail folders
 - Email headers & body
 - Calendar, contacts, profile, etc.

No subscription is required for these endpoints, as long as the app is authorised and follows rate limits.

2. Microsoft 365 (Business/Enterprise Accounts)

- Microsoft Graph **is included** with Microsoft 365 subscriptions.
- There's no extra cost for using Graph API to:
 - Access mail
 - Manage users, calendars, contacts, etc.

Access is governed by the organisation's admin and the app's permissions.

Limits to Be Aware Of

- Rate limits: Vary by user/account type. For example:
 - 10,000 requests / 10 minutes for personal accounts
- Rate-limiting headers (Retry-After) are returned by Graph
- Mailbox size quotas (controlled by user license, not Graph)
- Token expiration: Refresh tokens required for long-term access

Conclusion: For **ExportEmails** - which authenticates users and accesses their own mailboxes via Graph (Mail.Read / Mail.ReadWrite etc) — there's no cost involved, whether users have **Personal Microsoft** accounts or **Microsoft 365** subscriptions.

Disclaimer:

The information provided about Microsoft Graph API access and associated costs is for general guidance only and based on publicly available documentation as of the time of writing. Microsoft's pricing, licensing, and API usage policies may change. Always consult the official [Microsoft Graph documentation](#) and licensing terms or contact Microsoft directly for the most accurate and up-to-date information.



Welcome to Azure!

Don't have a subscription? Check out the following options.




Start with an Azure free trial

Get \$200 free credit toward Azure services, plus 12 months of popular services.

[Start](#)

Manage Microsoft Entra ID

Manage access, set smart policies, and enhance security with Microsoft Entra ID.

[View](#)[Learn more](#)

Access student benefits

Get free software, Azure credit, or access for Teaching after you verify your academic status.

[Explore](#)[Learn more](#)

Click...

Azure services

[Create a resource](#)[Microsoft Entra ID](#)[App Services](#)[Microsoft Graph Data...](#)[Static Web Apps](#)[All resources](#)[Quickstart Center](#)[Azure AI services](#)[Kubernetes service](#)

Resources

[Recent](#)[Favorite](#)

Name

Type

Last View


Home >



Company

Overview

...



Add



Manage tenants



What's new



Preview features



Got feedback?



Overview



Preview features



Diagnose and solve problems



Manage



Users



Groups



External Identities



Roles and administrators



Administrative units



Delegated admin partners



Enterprise applications



Devices



App registrations



Identity Governance



Application proxy



Custom security attributes



Licenses

Cross-tenant
synchronization

Microsoft Entra Connect



Custom domain names



Mobility (MDM and WIP)



Password reset



Company branding

User



Group

Enterprise application

App registration

ice, we're experimenting with your Home page. Click "Got feedback?" to tell us what you think.

Properties

Recommendations

Setup guides

Basic information

Name

M

Users

37

Tenant ID

Groups

12

Primary domain

Applications

1

License

Microsoft Ent

Devices

31

Alerts



MSOnline PowerShell Retirement

Please migrate from any use of MSOnline PowerShell.

will retire in April

PowerShell

25.



Migrate to the converged Authentication methods policy

Please migrate your authentication methods o legacy MFA and SSPR policies by September 2 avoid any service impact

[Learn more](#)

Or click on App Registrations and then:

[+ New registration](#)

My feed



Try Microsoft Entra admin center

Secure your identity environment with Microsoft Entra ID, permissions management and more.



Lex James

1e9dd2d3-a6cd-4c3a-a320-5c98b6c9f673



Global Administrator

[View role information](#)

[All services](#) > [Company](#) | [Overview](#) >

Register an application ...

Set...

* Name

The user-facing display name for this application (this can be changed later).

 ✓

Supported account types

Who can use this application or access this API?

- ☐ Accounts in this organizational directory only (Company only - Single tenant)
- ☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)
- ☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)
- ☐ Personal Microsoft accounts only

[Help me choose...](#)

Choose...

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

 ▾ ✓

Set...

Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#).

By proceeding, you agree to the [Microsoft Platform Policies](#)

[Register](#)

Microsoft Azure

Show portal menu

Search resources, services, and docs (G+)

Copilot

All services > Company | Overview > Email App

Email App | Authentication

Search

Got feedback?

- Overview
- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage
 - Branding & properties
 - Authentication**
 - Certificates & secrets
 - Token configuration
- Owners
- Roles and administrators
- Manifest
- Support + Troubleshooting
 - New support request

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Mobile and desktop applications

Quickstart Docs

Redirect URIs

The URIs we will accept as destinations when returning authentication responses (tokens) after successfully authenticating users. The redirect URI you send in the request to the login server should match one listed here. Also referred to as reply URLs. [Learn more about Redirect URIs and their restrictions](#)

<input checked="" type="checkbox"/>	https://login.microsoftonline.com/common/oauth2/nativeclient	
<input checked="" type="checkbox"/>	https://login.live.com/oauth20_desktop.srf (LiveSDK)	
<input type="checkbox"/>	xx (MSAL only)	
	http://localhost:8080	

[Add URI](#)

Supported account types

Who can use this application or access this API?

☐ Accounts in this organizational directory only (Company: only - Single tenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

[Help me decide...](#)

Due to temporary differences in supported functionality, we don't recommend enabling personal Microsoft accounts for an existing registration. If you need to enable personal accounts, you can do so using the manifest editor. [Learn more about these restrictions.](#)

Advanced settings

Allow public client flows

Enable the following mobile and desktop flows:

Yes No

- App collects plaintext password (Resource Owner Password Credential Flow) [Learn more](#)
- No keyboard (Device Code Flow) [Learn more](#)
- SSO for domain-joined Windows (Windows Integrated Auth Flow) [Learn more](#)

App instance property lock

Save Discard

Open #https://portal.azure.com/# on this page in a new tab

Choose...

Choose...

Save...

Email App | Certificates & secrets

Search

 Got feedback?

 Overview Quickstart Integration assistant

- ✖ Diagnose and solve problems

▼ Manage


Branding & properties

 Authentication

🔑 Certificates & secrets

Token configuration

Add Client Secret

 Roles and administrators

 Manifest

▼ Support + Troubleshooting

 New support request

 Got a second to give us some feedback? →

Credentials enable confidential applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an HTTPS scheme). For a higher level of assurance, we recommend using a certificate (instead of a client secret) as a credential.

 Application registration certificates, secrets and federated credentials can be found in the tabs below.

Certificates (0) Client secrets (1) Federated credentials (0)

A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.

+ New client secret

[illegible]

All services > I Company | Overview > Email App

Email App | API permissions

Search Refresh Got feedback?

Granting tenant-wide consent may require additional permissions.

The "Admin consent required" column shows the default value for an organizations where this app will be used. [Learn more](#)

Configured permissions

Applications are authorized to call APIs when they are granted permissions. All the permissions the application needs. [Learn more about permissions](#)

+ Add a permission ✓ Grant admin consent for Company

API / Permissions name	Type	Description
Microsoft Graph (1)		
User.Read	Delegated	Sign in and read user profile

To view and manage consented permissions for individual apps, as well as

Request API permissions

Select an API

Microsoft APIs APIs my organization uses My APIs

Commonly used Microsoft APIs



Microsoft Graph

Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner through a single endpoint.



Azure Communication Services

Rich communication experiences with the same secure CPaaS platform used by Microsoft Teams



Azure Rights Management Services

Allow validated users to read and write protected content



Azure Service Bus

Programmatic access to the Azure portal



Azure Storage

Secure, massively scalable object and data lake storage for unstructured and semi-structured data



Data Export Service for Microsoft Dynamics 365

Export data from Microsoft Dynamics CRM organization to an external destination



Dynamic Central

Programmatic access to functionality in Central



Dynamics CRM

Access the capabilities of CRM business software and ERP systems



Intune

Programmatic access to Intune data



Office 365

Retrieve information from Office 365 activity logs



OneNote

Create and manage notes, lists, pictures, files, and more in OneNote notebooks



Power Automate

Embed flow templates and manage flows



Power BI

Programmatic access to Dashboard resources as Datasets, Table BI



SharePoint

Interact remotely with SharePoint data



Skype for Business

Integrate real-time presence, secure messaging, calling, and conference capabilities



Yammer

Access resources interface (e.g. messages etc.)

More Microsoft APIs

Add API Permissions...

Click...

[All services](#) > [Company](#) | [Overview](#) > [Email App](#)[Email App](#) | API permissions

Refresh

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

New support request

Granting tenant-wide consent

The "Admin consent required" column shows the default value for an organization. However, user consent can be granted for individual users in organizations where this applies.

Configured permissions

Applications are authorized to call APIs when they are granted permissions. To view and manage consented permissions for individual apps, as well as all the permissions the application needs, [learn more about permissions](#).

[+ Add a permission](#) [✓ Grant admin consent for Company](#)

API / Permissions name	Type	Description
Microsoft Graph (1)		
User.Read	Delegated	Sign in and read user profile

To view and manage consented permissions for individual apps, as well as all the permissions the application needs, [learn more about permissions](#).

Request API permissions

[All APIs](#)

Microsoft Graph
<https://graph.microsoft.com/> [Docs](#)

What type of permissions does your application require?

Delegated permissions

Your application needs to access the API as the signed-in user.

Application permissions

Your application runs as a background signed-in user.

Select permissions

imap

The "Admin consent required" column shows the default value for an organization. However, user consent can be granted for individual users in organizations where this applies. [Learn more](#)

Permission	Admin consent required
IMAP (1)	
<input checked="" type="checkbox"/> IMAP.AccessAsUser.All ⓘ Read and write access to mailboxes via IMAP.	No

Click...

Find...

Save...

Add permissions

Discard


Home > Company

Email App | API permissions

Search

Refresh

Got feedback?

 Successfully granted admin consent for the request

Click Grant admin consent once all permissions added

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest






Support + Troubleshooting

New support request

Configured permissions

Applications are authorized to call APIs when they are granted permissions. Permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

[+ Add a permission](#) ☒ Grant admin consent for Company

API / Permissions name	Type	Description	Admin consent requ...	Status
Microsoft Graph (5) ...				
IMAP.AccessAsUser.All	Delegated	Read and write access to mailboxes via IMAP.	No	 Granted for Company
Mail.Read	Delegated	Read user mail	No	 Granted for Company
Mail.ReadWrite	Delegated	Read and write access to user mail	No	 Granted for Company
MailboxFolder.Read	Delegated	Read a user's mailbox folders	No	 Granted for Company
offline_access	Delegated	Maintain access to data you have given it access to	No	 Granted for Company

 Delete Endpoints Preview features

 New subject

Make a note of the Application (client) ID...

Managed application in I... : [Email App](#)

i Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Graph. We will continue to provide tech updates but we will no longer provide feature updates. Applications will need to be upgraded to Microsoft Authentication Library (MSAL) and Microsoft Graph. [Learn more](#)

The Microsoft identity platform is an authentication service, open-source libraries, and application management tools. You can create modern, standards-based authentication solutions, access and protect APIs, and add sign-in for your users and customers. [Learn more](#)

Add Users that can access the App

[View API permissions](#)[View all quickstart guides](#)

Go to Enterprise applications



Inside the App

Home
Gmail
Microsoft
IMAP
Saved Items
Accounts

Manage Accounts

me@myOffice365.co.uk (MICROSOFT)

EditDelete

Select a provider type to save a new account or edit existing.
(Editing the email address of existing records and saving will create a new account)

---MICROSOFT---

Email Address: me@myOffice365.co.uk

Client ID: xxxxxxxx-xxxxxx-xxxx-xxxx-xxxxxx

Redirect URI: http://localhost:8080

Microsoft Account Type: Office365

Save/Update Account

Choose...

Add your
Office365
address

Choose
account type

Save

Enter
Client ID

Inside the App

Export Emails

Home

Gmail

Microsoft

IMAP

Saved Items

Accounts

Connect to a Microsoft account

me@myOffice365.co.uk

Batch Download Size:

50

Connect/Refresh


Progress: 0/0 emails

Connecting to Microsoft..

?

Inside the App

Browser will
open to login to
Microsoft...



Message once
logged in and
authenticated ...

Close window and
return to App

Inside the App

Logged into
Office 365...

Export Emails

Home

Gmail

Microsoft

IMAP

Saved Items

Accounts

Connect to a Microsoft account

Logged in as: me@myOffice365.co.uk [Account Logout](#)

me@myOffice365.co.uk

Batch Download Size:
50

Download All

2024-01-01

2025-04-07

Download Range

Sent Items (504 emails)

Download All

2024-01-01

2025-04-07

Download Range

Deleted Items (965 emails)

Download All

2024-01-01

2025-04-07

Download Range

Outbox (0 emails)

Download All

2024-01-01

2025-04-07

Download Range

Inbox (3969 emails)

Download All

2024-01-01

2025-04-07

Download Range

Drafts (0 emails)

Download All

2024-01-01

2025-04-07

Download Range

Junk Email (181 emails)

Download All

2024-01-01

2025-04-07

Download Range

Archive (3 emails)

Download All

2024-01-01

2025-04-07

Download Range

Conversation History (0 emails)

Connect/Refresh

Progress: 0/0 emails

✓ All folders loaded.

?



Microsoft Personal Accounts

Follow the same setup as Office365 but resolve these items:

Ensure permissions are as follows:



Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission ✓ Grant admin consent for Default Directory

API / Permissions name	Type	Description	Admin consent requ...	Status
Microsoft Graph (7) ...				
email	Delegated	View users' email address	No	✓ Granted for Default Dire... ...
IMAP.AccessAsUser.All	Delegated	Read and write access to mailboxes via IMAP.	No	✓ Granted for Default Dire... ...
Mail.Read	Delegated	Read user mail	No	✓ Granted for Default Dire... ...
MailboxFolder.Read	Delegated	Read a user's mailbox folders	No	✓ Granted for Default Dire... ...
offline_access	Delegated	Maintain access to data you have given it access to	No	✓ Granted for Default Dire... ...
profile	Delegated	View users' basic profile	No	✓ Granted for Default Dire... ...
User.Read	Delegated	Sign in and read user profile	No	✓ Granted for Default Dire... ...

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise applications](#).



No need to choose owners

 <https://azure.microsoft.com>

Set up GMAIL



<https://console.cloud.google.com>

Project info

Project name

Project number

Project ID

ADD PEOPLE TO THIS PROJECT

→ Go to project settings

Resources

BigQuery
Data warehouse/analytics

SQL
Managed MySQL, PostgreSQL, SQL Server

Compute Engine
VMs, GPUs, TPUs, Disks

Storage
Multi-class multi-region object storage

Cloud Run functions
Event-driven serverless functions

Cloud Run
Fully managed application platform

Getting Started

API Explore and enable APIs

Deploy a prebuilt solution

Add dynamic logging to a running application

Monitor errors with Error Reporting

Deploy a Hello World app

Take a VM quickstart

Create a Cloud Storage bucket

Create a Cloud Run function

Install the Cloud SDK

→ Explore all tutorials

App Engine

Summary (count/sec)

1.0

0.8

0.6

0.4

Google Cloud Platform status

All services normal

→ Go to Cloud status dashboard

Billing

Click...

Select a project

NEW PROJECT

Search projects and folders

RECENT

STARRED

ALL

Name

ID

CANCEL

News

Google Public Sector takes center stage at Next '25 - Sessions you can't miss
15 hours ago

Accelerating mainframe modernization with Google Cloud Dual Run and mLogica
16 hours ago

Colossus under the hood: How we deliver SSD performance at HDD prices
16 hours ago

→ Read all news

New Project



You have 23 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[Manage Quotas](#)

Give your
"Project" a name

Project name *

Export Email Addresses



Project ID: export-email-addresses. It cannot be changed later. [Edit](#)

Location *

No organization

[Browse](#)

Parent organization or folder

Create

Cancel







Create

Project info









Project name
Export Email Addresses
Project number

[Go to project settings](#)

Resources


-  **BigQuery**
Data warehouse/analytics
-  **SQL**
Managed MySQL, PostgreSQL, SQL Server
-  **Compute Engine**
VMs, GPUs, TPUs, Disks
-  **Storage**
Multi-class multi-region object storage
-  **Cloud Run functions**
Event-driven serverless functions
-  **Cloud Run**
Fully managed application platform

Getting Started

-  **API** Explore and enable APIs
-  **Deploy** a prebuilt solution
-  **Add** dynamic logging to a running application
-  **Monitor** errors with Error Reporting
-  **Deploy** a Hello World app
-  **Take** a VM quickstart
-  **Create** a Cloud Storage bucket
-  **Create** a Cloud Run function

API APIs

Requests (requests/sec)

[Go to APIs overview](#)

Google Cloud Platform status

All services normal

[Go to Cloud status dashboard](#)

Monitoring

[Create my dashboard](#)

[Set up alerting policies](#)

[Create uptime checks](#)

[View all dashboards](#)[Go to Monitoring](#)

API Error Reporting

No sign of any errors. Have you set up Error Reporting?

[Learn how to set up Error Reporting](#)

News

- Google Public Sector takes center stage at Next '25 - Sessions you can't miss**
15 hours ago
- Accelerating mainframe modernization with Google Cloud Dual Run and mLogica**
16 hours ago
- Colossus under the hood: How we deliver SSD performance at HDD prices**
16 hours ago

[Read all news](#)[Read all release notes](#)

Documentation

Google Cloud

Export Email Addresses

Search

DASHBOARD

ACTIVITY

RECOMMENDATIONS

Project info

Project name

Export Email Addresses

Project number

xx

Project ID

export-email-addresses

ADD PEOPLE TO THIS PROJECT

→ Go to project settings

Resources

BigQuery

Data warehouse/analytics

SQL

Managed MySQL, PostgreSQL, SQL Server

Compute Engine

VMs, GPUs, TPUs, Disks

Storage

Multi-class multi-region object storage

Cloud Run functions

Event-driven serverless functions

Cloud Run

Fully managed application platform

Getting Started

API

Explore and enable APIs

Deploy a prebuilt solution

Add dynamic logging to a running application

Monitor errors with Error Reporting

Deploy a Hello World app

Take a VM quickstart

Create a Cloud Storage bucket

Create a Cloud Run function

Install the Cloud SDK



Click...

[4 days](#) [7 days](#) [14 days](#) [30 days](#)[Enabled APIs & services](#)

- Library
- Credentials
- OAuth consent screen
- Page usage agreements

Traffic

No data is available for the selected time frame.

UTC 12:00 PM 6:00 PM Mar 27 6:00 AM

Errors

No data is available for the selected time frame.

UTC 12:00 PM 6:00 PM Mar 27 6:00 AM

Median latency

No data is available for the selected time frame.

UTC 12:00 PM 6:00 PM Mar 27 6:00 AM

Filter



Name	↓ Requests	Errors (%)	Latency, median (ms)	Latency, 95% (ms)
Analytics Hub API				
BigQuery API				
BigQuery Connection API				
BigQuery Data Policy API				
BigQuery Migration API				
BigQuery Reservation API				
BigQuery Storage API				
Cloud Dataplex API				
Cloud Datastore API				
Cloud Logging API				
Cloud Monitoring API				
Cloud SQL				
Cloud Storage				

Welcome to the API Library

The API Library has documentation, links, and a smart search experience.

🔍 gmail



gmail api

gmail postmaster tools api

Find...

Filter

Maps

[VIEW ALL \(27\)](#)

Visibility

Public (483)

Private (2)

Category

Analytics (11)

Big data (22)

Databases (7)

Machine learning (16)

Maps (27)

DevOps (24)

Compute (13)

Advertising (16)

Social (5)

Operating systems (1)



Maps SDK for Android

Google

Maps for your native Android app.



Maps SDK for iOS

Google

Maps for your native iOS app.



Maps JavaScript API

Google

Maps for your website



Places API

Google Enterprise API ?

Get detailed information about 100 million places

Machine learning

[VIEW ALL \(16\)](#)

Dialogflow API

Google Enterprise API ?

Builds conversational interfaces



Cloud Vision API

Google Enterprise API ?

Image Content Analysis



Cloud Natural Language API

Google Enterprise API ?

Provides natural language understanding technologies, such as sentiment analysis, entity...



Cloud Speech-to-Text API

Google Enterprise API ?

Speech recognition

API Library

gmail api



API Library > "gmail api"

Filter Type to filter

Visibility



Public

(2)

Category



Google Enterprise APIs

(1)

Google Workspace

(2)

Other

(1)

2 results



Gmail API

Google Enterprise API ?

With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.



Gmail Postmaster Tools API

Google

The Gmail Postmaster API is a RESTful API that provides programmatic access to email traffic metrics (like spam reports, delivery errors etc) otherwise available through the Gmail Postmaster Tools UI currently.

Choose...

Product details



Gmail API

[Google Enterprise API](#)

View and manage Gmail mailbox data.



TRY THIS API [↗](#)

Choose...

OVERVIEW

DOCUMENTATION

SUPPORT

RELATED PRODUCTS

Overview

With the Gmail API, you can view and manage Gmail mailbox data like threads, messages, and labels.

[Learn more](#) [↗](#)

Additional details

Type: [SaaS & APIs](#)

Last product update: 2/6/23

Category: [Google Enterprise APIs](#), [Google Workspace](#)

Service name: gmail.googleapis.com

Tutorials and documentation

[Overview](#) [↗](#)

Learn key terms and use cases.

[Quickstarts](#) [↗](#)

Create a simple app to start exploring.

[API reference](#) [↗](#)

Browse the methods and resources available in this API.

Support


You can use a mixture of different platforms to find help, including documentation, community support via Stack Overflow, and dedicated Google Workspace developer support specialists.

[Learn more](#) [↗](#)

Related Products



OAuth Overview



Google Auth Platform not configured yet
Get started to configure your application's identity and manage credentials for calling Google APIs and Sign-in with Google. [Learn more](#)

Get started

Click...

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

1 App Information

App name *

Export Addresses

The name of the app asking for consent

User support email *

test_user@gmail.com

For users to contact you with questions about their consent. [Learn more](#)

Next

2 Audience

3 Contact Information

4 Finish

Create

Cancel

Name the App...

Add an email

Overview

Branding

Audience

Clients

Data Access

Verification Center

Project configuration

✓ App Information

2 Audience

☐ Internal ?

Only available to users within your organization. You will not need to submit your app for review. [Learn more about user type](#) ↗

☒ External ?

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. [Learn more about user type](#) ↗

[Next](#)

3 Contact Information

4 Finish

[Create](#)[Cancel](#)

Choose...



Project configuration



App Information



Audience



Contact Information



Finish

I agree to the [Google API Services: User Data Policy](#).ContinueCreateCancelCreate...

Overview

Branding

Audience

Clients

Data Access

Verification Center

OAuth Overview

Metrics

i You haven't configured any OAuth clients for this project yet.

Create OAuth client

Create...

Project Checkup

i No project health recommendations found for your project.

Learn more about OAuth 2.0 Policies [↗](#)



Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *

Desktop app

Name *

EE1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Note: It may take 5 minutes to a few hours for settings to take effect

Create

Cancel

Choose...

Add a
reference...

Create...

- Overview
- Branding
- Audience
- Clients**
- Data Access
- Verification Center

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information. [Learn more](#) about OAuth client types.

Application type *
Desktop app

Name *
EE1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

Note: It may take 5 minutes for the client to be created.

Create Cancel

OAuth client created

The client ID and secret can always be accessed from Credentials in APIs & Services

OAuth access is restricted to the [test users](#) listed on your [OAuth consent screen](#)

Client ID
XXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX.apps.
googleusercontent.com

Client secret
XXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Creation date
March 27, 2025 at 8:49:05 AM GMT+0

Status
Enabled

Download JSON

DOWNLOAD
THIS FILE!...




We'll use this in the
ExportEmails App...

- Overview
- Branding
- Audience
- Clients**
- Data Access
- Verification Center

Clients

[+ Create client](#)[Delete](#)[Restore deleted OAuth clients](#)

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID	Actions
<input type="checkbox"/>	EE1	Mar 27, 2025	Desktop	xxxxxxxxxxxxxxxxxxxxxxxxxxxxx. .	  

Download OAuth client

JSON file is
also here to
download...

Overview

Branding

Audience

Clients

Data Access

Verification Center

Audience

Publishing status ?

Testing

[Publish app](#)

User type

External ?

[Make internal](#)

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

0 users (0 test, 0 other) / 100 user cap ?

Test users

[+ Add users](#)

Click...

[Filter](#) Enter property name or value ?

User information

No rows to display

[Show less](#)

Google Auth Platform / Audience

Overview

Branding

Audience

Clients

Data Access

Verification Center

Audience

Publishing status ?

Testing

Publish app

User type

External ?

Make internal

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

0 users (0 test, 0 other)

Test users

+ Add users

Filter Enter property name or value

User information

No rows to display

Show less

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

Learn more

test_user@gmail.com ?

0 / 100

Save



- Overview
- Branding
- Audience
- Clients
- Data Access
- Verification Center

Audience

Publishing status ?

Testing

Publish app

User type

External ?

Make internal

OAuth user cap ?

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

1 user (1 test, 0 other) / 100 user cap ?

Test users

+ Add users

Filter Enter property name

User information

test_user@gmail.com

Show less

Add more Email accounts that you want access to

Inside the App

Export Emails

HomeGmailMicrosoftIMAPSaved ItemsAccounts

Manage Accounts

test_user@gmail.com (GMAIL)EditDelete

Select a provider type to save a new account or edit existing.
(Editing the email address of existing records and saving will create a new account)

---GMAIL---

Email Address: test_user@gmail.com

Load your Gmail credentials file (.json)

XX

Save/Update Account

Choose...

Add your
Gmail address

Save

Load
your saved
JSON file

Inside the App

Export Emails

Home Gmail Microsoft IMAP Saved Items Accounts

Connect to a Gmail account

test_user@gmail.com

Batch Download Size:

50

Connect/Refresh

Progress: 0/0 emails


?

Choose...

Click...

Inside the App

Browser will open to
login to Gmail...



Inside the App

Logged into
Gmail...

Export Emails

HomeGmailMicrosoftIMAPSaved ItemsAccounts

Connect to a Gmail account

Logged in as: test_user@gmail.com [Google Account Logout](#)

test_user@gmail.com

Batch Download Size:

50

Download All	2024-01-01	2025-04-07	Download Range	Deleted Messages (0 emails)
Download All	2024-01-01	2025-04-07	Download Range	Drafts (1 emails)
Download All	2024-01-01	2025-04-07	Download Range	INBOX (27388 emails)
Download All	2024-01-01	2025-04-07	Download Range	Notes (7 emails)
Download All	2024-01-01	2025-04-07	Download Range	Sent Messages (104 emails)
Download All	2024-01-01	2025-04-07	Download Range	ServerUpdates (0 emails)
Download All	2024-01-01	2025-04-07	Download Range	[Gmail] (0 emails)
Download All	2024-01-01	2025-04-07	Download Range	[Gmail]/All Mail (39914 emails)

Connect/Refresh

Progress: 0/0 emails

✔ All folders loaded.

?

Set up IMAP



Consult your provider documentation for IMAP settings

Be aware that some providers require an **App Password** for **IMAP** connectivity, which is not your normal login password.

Search the web

Q

NewsFinanceSportMore

OverviewPersonal infoSecurityRecent activityPrivacy controlsWalletSubscriptions

Security

Did you know there's more than one way to access your account? Let's take a look and pick what's best for you.

ACCOUNT HEALTH CHECK

Your account is good, but it could be better

Enable 2-step verification to ensure that nobody but you is signing in to your account

Review account health

ACCOUNT ACCESS

How you sign in to Yahoo

Find your current sign-in method or discover other ways to access your account.

This is how you sign in now

Password

Last changed: 4 March 2025

Change password

2-step verification

Prevent others from accessing your account by adding a second step to the sign-in process.

Turn on

Passkeys

Use passkeys to sign in using your face, fingerprint or the code you use to unlock your device.

Create passkey

Other ways to sign in

App password

1password

Last password generated: MyAppPasswordLink

Generate and manage app passwords

VERIFICATION METHODS

How we make sure it's really you

This is how we keep your account secure, help you get into your account if you're locked out, or contact you if we detect anything suspicious.